

A large, light gray silhouette of a modern light fixture, possibly a pendant or table lamp, is positioned on the left side of the page.

2024/2025 Lighting Resource Guide



For 80 years, Bartle & Gibson has been supplying the right solutions at the right time with our expert customer care throughout Western Canada. With 30 branches, 3 distribution centers, over 450 knowledgeable employees, and access to over 2000 top supplier brands, you can depend on us.

We are excited to introduce to you our 2024/2025 edition of the Lighting Resource Guide. In it you will find the latest commercial lighting solutions from the top industry brands.

Do not hesitate to contact us so we can assist on your next project, as we strive to be your preferred wholesaler by providing you with our superior customer experiences.



Lighting Terms

BACKLIGHT, UPLIGHT, AND GLARE (BUG) RATINGS

May be used to evaluate luminaire optical performance related to light trespass, sky glow, and high angle brightness control. These ratings are based on a zonal lumen calculations for secondary solid angles defined in TM-15-07.

BEAM ANGLE

Refers to the degree of width in which light emanates from the light source. The angle between those points on either side of the beam is where the light's intensity drops to about 50%.

COLOR TEMPERATURE (Kelvin)

Kelvin temperature equivalent is used to describe the lamp's color. Lamps generally vary from about 2500K, which is quite yellow through to 7000K, which is considerably bluish. The temperature of balanced white is about 5500K.

DLC (Design Lights Consortium)

Association of utility companies used to create and maintain a minimum performance standard for LED luminaires.

ENERGY STAR®

EPA brand that creates a minimum performance standard for many household items and appliances including light bulbs and fixtures.

FOOTCANDLE (fc)

Unit of Measurement for Illuminance. One foot candle is equal to one lumen per square foot.

GLARE

Glare is a visual sensation caused by excessive brightness. It can be discomforting or disabling.

IC (Insulation Contact) RATED

Describes an electrical fixture that does not require a clearance between the fixture and insulation material.

ILLUMINANCE (Lux)

Light arriving at a surface, expressed in lumens per unit area; 1 lumen per square foot equals 1 footcandle, while 1 lumen per square meter equals 1lux.

IP (Ingress Protection)

Used to define levels of sealing effectiveness of electrical enclosures against intrusion from foreign bodies (tools, dirt etc) and moisture.

L70

Used to describe the LED's expected light output over its stated life span. "L70" means that at the defined life time (hours) the LED product will emit a minimum of 70% of its initial light output.

LAMP

The source of light in a fixture, colloquially called a "light bulb."

LIGHT EMITTING DIODE (LED)

A semiconductor device that emits light as electrical current passes through it. Light emitting diodes are more efficient than other light sources and offer exceptionally long life.

LM-79

Testing standards for performance characteristics of LED lamps and luminaires.

LM-80

Testing standards for the lumen maintenance for LED packages and arrays.

LUMINAIRE

Light Fixture. A complete unit consisting of lamp, ballast, reflectors, lens, and other parts.
















LUMINOUS EFFICIENCY / EFFICACY (Lumens per Watt)

A measure of how much total effective light in all directions (Lumens is produced per Watt of electrical power consumed).

LUMINOUS FLUX (Lumens)

Perceived total amount of useful light from a source is the sum of the Candela measurements in all directions. It is measured in Lumens (lm).

Lighting Icons

- | | |
|--|---|
|  CCT Color Selectable |  Power Selectable |
|  Damp Location |  Scenes |
|  Dimmable |  Schedules |
|  RGB Color Change |  Smart Things |
|  IP IP Rated |  TW Tunable White |
|  Motion Sensor |  WD Warm Dim |
|  Photocell |  Wet Location |
|  IC Insulation Contact Rated | |

Commercial Lighting Design



Enhancing the experience through lighting is what we strive for. Each space has its unique flow and we want to accent this with our specialized commercial lighting design.

Buying Considerations




Cost

- Capital - initial cost
- Long-term maintenance, consumables & replacement parts
- Energy consumption/efficiency



Maintenance

- Time, cost & labor
- Component availability
- Longevity & replacement



Aesthetic

- How does the light look?
- How does it behave?
- Color Temperature



Function

- Proper or adequate light level task
- Lighting controls

For more information, contact your local branch.

Get Started!




Goals

Share with us your goals for your commercial lighting project.




Details

- Share as many details as you can:
- Desired lighting style, lighting type, brands etc.
 - Space type: office, retail, warehouse, public etc.



Inspection

Schedule an on-site inspection in order to figure the feasibility, budget, and any recommendations we may have.



Quotation

Accurate quotation with cost breakdowns, timeline, available install dates and other pertinent information.



Follow-Up

Follow-up with any questions you may have with the quotation and any other aspect of the project.



Project

- If you accept the job, the project can include:
- A layout (3D modeling) based on building codes
 - Energy audits & rebate application assistance
 - Continuous project updates from start to finish.



After Sales

Not only do we provide a comprehensive service for warranty issues, we're also available for any questions and help after the job is done.

Lamp Equivalency Chart

	LUMENS	220+	400+	700+	900+	1300+
 STANDARD		25W	40W	60W	75W	100W
 HALOGEN		18W	28W	42W	53W	70W
 CFL		6W	9W	12W	15W	20W
 LED		4W	6W	9W	12W	15W

Luminaire Equivalency Chart






Incandescent 	CFL 	Metal Halide or High Pressure Sodium (HPS) 	Lumens Needed 	LED Equivalent - (20 Levels of LED) 
250 W	65 W	100 W	4,000	30-40 W
300 W	80 W	125 W	4,800	40 W
400 W	100 W	150 W	6,000	50-60 W
450 W	125 W	175 W	7,000	60 W
500 W	150 W	250 W	8,000	75-80 W
600 W	175 W	320 W	10,000	100 W
1,000 W	300 W	400 W	16,000	120-150 W
2,000 W	500 W	750 W	30,000	240-300 W
N/A	N/A	1,000 W	40,000	300 W
N/A	N/A	1,500 W	60,000	450 W
N/A	N/A	2,000 W	80,000	600 W



Table of Contents

<hr/>	<hr/>	<hr/>
RECESSED 11	WALL-MOUNTED	AREA/FLOOD/ROADWAY
FLAT 12	WALLPACKS 37	CANOPY 55
CONNECTED 15	CLASSIC 39	ROADWAY/AREA 56
GIMBAL 16	SECURITY 40	POST TOP/BOLLARD 57
RETROFIT 18		FLOOD 58
	STRIPS/LINEAR	POLES 59
	STRIP 42	
	WRAP 43	CONTROLS
CEILING-MOUNTED	VAPOR TIGHT 45	SYSTEMS 61
SURFACE 20		WIRELESS 66
EDGE LIT 21		
	INDUSTRIAL (EXPLOSION RATED)	MEDICAL/HEALTHCARE
DECORATIVE	EXPLOSION RATED 46	HEALTHCARE 68
PENDANT 25		
TAPE / UNDERCABINET 27	DRIVERS/LAMPS	HORTICULTURAL
VANITY / SCONCE 28	DRIVERS 49	HORTICULTURAL 70
	LAMPS 50	
TROFFERS	EMERGENCY	TEMPORARY/JOBSITE
PANELS 30	COMBINATION & EXIT SIGNS 52	JOBSITE 72
BASKET 31		
		LINE CARD
HIGHBAYS		LINECARD 75
ROUND 34		
LINEAR 35		

DOWNLIGHTS

Downlights

Recessed



JPDZ

Podz™ LED Downlight Series

This all-in-one design installs directly into the ceiling, eliminating the need for a traditional recessed housing

Sizes: 4, 5, & 6"

CCT: 2700, 3000, 3500, 4000, 5000K, & Warm dim

Available Finish: Multiple trims/finishes

Juno



Dimmable



Wet Rated



IC Rated



WF4 DREG

OneUp™ LED Downlights

These all-in-one LED fixtures include an integrated junction box for direct wiring

Sizes: 3, 4, & 6"

CCT: 3000, 4000, & 5000K

Available Finish: Black, Bronze, Nickel, White

Juno




Dimmable



Wet Rated



IC Rated



SLMB4

SKYE Color Selectable

SKYE is a high-performance, easy to install downlight solution

Sizes: 4 & 6"

CCT: Color selectable

Available Finish: Multiple trims/finishes

Liteline



Dimmable



Wet Rated



IC Rated



Color Selectable



Power Selectable



DL4R

LED Dual Select

LED Flat Regressed Downlight dual select provides an easy and quick downlight solution without the traditional frame and reflector.

Sizes: 3, 4, & 6"

CCT: 2,700 – 5000K

Available Finish: White, Matte Black, Brushed Bronze

LIGHTOLIER



Dimmable



Power Selectable



IC Rated



Color Selectable



Power Selectable

Downlights



FD4R

Flat LED Downlight

Perfect for installation in low plenum and existing shallow space ceilings.

Sizes: 4 & 6"

4CCT: 2700, 3000, 4000, & 5000K

Available Finish: White

LIGHTOLIER

by @ignify



Dimmable



Wet Rated



IC Rated



Color Selectable



Power Selectable



WF4

Wafer LED Downlight

Only 2" Plenum Space Needed to Install Wafer

Sizes: 3, 4, 6, & 8"

3CCT: 3000, 4000, & 5000K or 2700, 3000, & 3500K

Available Finish: White

Juno



Dimmable



Wet Rated



IC Rated



Color Selectable



Power Selectable



LPDL

LPDL™ Choice Series

Being less than 1" thick, it can be installed in any types of ceiling.

Sizes: 4 & 6"

CCT: 3000, 4000K, & Warm Dim

Available Finish: White, Black, Brushed Nickel

STANPRO



Dimmable



Damp Rated



IC Rated



Color Selectable



SLM4

SlimLED Original

A slender, low-profile downlight that not only excels in performance but also makes residential installation a breeze.

Sizes: 3, 4, 5, & 6"

CCT: 2,700 – 5000K

Available Finish: White, Black, Brushed Nickel, Silver

Liteline



Dimmable



Wet Rated



Color Selectable

STANPRO

DOWNLIGHTS

CDU

4", 6" AND 8" DIMMABLE DOWNLIGHT




SWIVEL CHOICE

4" DIRECTIONAL DOWNLIGHT WITH SINGLE CCT OR



LPDL

3", 4" AND 6" LOW PROFILE DOWNLIGHT



VIVIO

4" DUAL INSTALLATION DOWNLIGHT





Available with
5CCT Switchable and
Lumen Selectable options

www.acuitybrands.ca



Meet The Wafer Family!




AcuityBrands

Downlights



Retrobasics Smart
Using Bluetooth® or Zigbee, the Smart RetroBasics downlight can be controlled either via voice command or through an app.

Sizes: 4 & 5/6"
CCT: RGBTW





Connected (Smart)




Smart Speaker Light
Using Bluetooth™ or Zigbee, the J6SCL can be controlled either via voice command, with customized time schedules or within the app.

Sizes: 6"
CCT: RGBTW



On Cloud
Powered by WiZ, Liteline fixtures and devices can now be controlled from your phone, tablet, smart speaker, or through the app.

Sizes: Various
CCT: RGBTW




Available Finish: Multiple trims/finishes



Smart Wafer
The Juno® Smart Wafer Downlight Series is the perfect way to get connected with your smart home lighting solution.

Sizes: 4 & 6"
CCT: Tunable White



Available In: Flat, Regressed, & Adjustable

DOWNLIGHTS
CEILING-MOUNTED
DECORATIVE PANELS
TRIFTERS/HIGHBAYS
WALL-MOUNTED
STRIPS/LINEAR
INDUSTRIAL LAMPS
DRIVERS
EMERGENCY FLOOD/AREA ROADWAY
CONTROLS
MEDICAL/HEALTHCARE
HORTICULTURAL/AGRICULTURAL
TEMPORARY/JOBSITE

Gimbal



DL/GIMBAL

Gimbal

Versatile • No Housing Required • Easy Installation

Sizes: 3.5"

CCT: 2700 – 5000K

Available Finish: Brushed Nickel, White, & Black



WF4 ADJ

WF4 ADJ

IC-rated, Lithonia OneUp™ direct-wire downlights feature a unique “canless” design.

Sizes: 4, & 6"

CCT: 2700 – 5000K

Available Finish: White



RA4

Luna

Offers the housing, trim, and lamp look without the overhead and heat

Sizes: 2, 3, 3.5, & 4"

CCT: 2700, 3000, 3500, 4000 & 5000K

Available Finish: Multiple trims/finishes

Downlights



Dimmable



Wet Rated



IC Rated



Warm Dim



Dimmable



Wet Rated



IC Rated



Color Selectable



Dimmable




Wet Rated



IC Rated

LUNA FIRE

SAFETY WITHOUT COMPROMISE



Driver accessible inside housing.

Smoke caulk.

Fixture removable below ceiling without breaking fire barrier.



LUNA

LIGHT THAT TRANSFORMS SPACES



Control from anywhere with Wi-Fi on the WIZ app, no hub needed!



WHITE TUNABLE 22K-65K



TUNABLE COLOR

DEDICATION TO INNOVATION

Liteline has an unwavering commitment to the pursuit of groundbreaking ideas, technologies and solutions that challenge industry norms and elevate standards. Our latest, innovative LUNA products are a testament to our dedication to innovation. LUNA Fire seamlessly integrates elegant optics with strict fire and building code compliance. LUNA OnCloud leverages Wi-Fi technology for remote access to empower users with control to transform spaces in real time to adapt to changing needs.



LITELINE.COM

Retrofit

Downlights



CR4R

Commercial Retrofit

Easy to install downlight with adjustable lumen and CCT output switch.

Sizes: 4, 6, 8, & 10"

CCT: 3000 – 4000K

Available Finish: White

LIGHTOLIER

by @ignify



Power Selectable



Color Selectable



IC Rated



RB56

Retro Basics

Available in Static, Switchable + Sensor, and Smart Solutions.

Sizes: 4 & 5/6"

CCT: 2700 – 5000K

Available Finish: White

Juno



Dimmable



Wet Rated



Color Selectable



SLMT4

Slim LED Multi

Perfect for multi-unit residential lighting.

Sizes: 4"

CCT: 2700 – 5000K & Warm Dim

Available Finish: Multiple trims/finishes

Liteline



Dimmable



Wet Rated



IC Rated



PRESTO

Presto

Downlight with integrated driver and junction box.

Sizes: 4, & 6"

CCT: 2700, 3000, & 4000K

Available Finish: White

STANPRO



Dimmable



Wet Rated



IC Rated

CEILING-MOUNTED



Surface



CL11

Traditional LED Ceiling

These low profile ceiling luminaires make a perfect solution for commercial and decorative applications.

Sizes: 8, 11, 14, 16, 18, 20, & 22"

CCT: 2700, 3000, & 4000K

Available Finish: White



TLP-13

Track lights

Ideal for accent and display lighting because it is compact with high lumen output and true color accuracy.

Sizes: 4' Kit

CCT: 3000K

Available Finish: White, Black



KLICK

Klick

Integrate different corners and connectors to shape your design from wall to ceiling.

Sizes: 4, 6, 8"

CCT: 2700 – 5000K

Available Finish: Multiple finishes



FMLSQ

FMLSQ

Choose your desired color temperature Soft White, Warm White, Neutral White, Cool White, Daylight to customize your lighting.

Sizes: 15"

CCT: 2700 – 5000K

Available Finish: White, Black

Ceiling-Mounted

STANPRO



Dimmable



Damp Rated

STANPRO



Dimmable



Damp Rated

Liteline



Dimmable



Smart

AcuityBrands



Dimmable



Color Selectable

Ceiling-Mounted



CIRKA

Cirka

Combining a highly efficient illumination with a sleek look and a light-weight slim housing, the CIRKA luminaire is ideal for any setting.

Sizes: 5, 7, 9, & 12"

CCT: 3000 – 5000K

Available Finish: Multiple trims/finishes

STANPRO



Dimmable



Damp Rated

Liteline



Dimmable



Wet Rated



Color Selectable



SH-F6

Shade Mini

High-performance, easy to install residential grade downlight solution with good light output, energy-efficiency and flexible design.

Sizes: 6"

CCT: 2700 – 5000K

Available Finish: Multiple trims/finishes



JSF

Slim Form

Juno SlimForm downlights are economical and easy-to install, surface mounted LED fixtures that is unobtrusive.

Sizes: 5, 7, 11, & 13"

CCT: 2700 – 5000K

Available Finish: White, Black, SN, Bronze

Juno



Dimmable



Damp Rated



Color Selectable



SD9R

Surface Mount Dual

A perfect problem solver fixture. The CCT and Lumen selection features make it easy to adjust at the time of installation.

Sizes: 5, 7, 11, & 14"

CCT: 2700 – 5000K

Available Finish: White

LIGHTOLIER
by @ignify



Dimmable



Damp Rated



Color Selectable

Edge Lit



Signify's Design Ready Portfolio

Signify has the most comprehensive lighting portfolio and stock program in the industry


We have a wide range of lighting solutions **Ready to Go** when you are. Select from **Design Ready** options which ships from our factory in 10 days



OmniSpot LED



TruGroove



GeoForm



Interact Technology



DECORATIVE



Decorative

LIGHTOLIER

by Signify

Decorative Pendants, 3D printed, tailored to your project needs.

Simplify your design with the pre-designed luminaires—downlights, projectors, and pendants. Mix and match colors or textures for endless possibilities.

Functional BAL Series: Low Bays with COB LED engines, various sizes, and finishes.

PD Series Cylinder Pendants: Easy maintenance with E26 socket, design flexibility with PAR 38 or PAR 30 LED lamps for enhanced appeal and simple redesign.

Single Series: Modern pendants with three designs, comfortable downlight effect.



BAL SERIES



PD SERIES



SINGLE SERIES



SINGLE SERIES

Liteline

The **FLEX** series by A-Line fits a variety of applications from Grocery Stores, Fast Food, Retail, Hospitality and everything in-between.

The **DINE** surface pendant was specifically designed for restaurants and dining applications, allowing for ideal control of visual comfort.

The **SHADE** strikes the perfect balance between LED lighting performance and a decorative presence in boardrooms, reception areas, hotel lobbies and other similar settings.



FLEX



DINE



SHADE

Pendant

Pendant



STANPRO

Decorative Pendants, available in a selection of seven finishes and two different styles.

Reflectors, glass shades and cages are also available to create a customizable look. Offered with a 10' cord, these pendants are suitable for both commercial and residential applications.

Whether your decor is traditional, industrial, modern or rustic, you'll find a solution that will suit your style.



340



310



400



110

Decorative

Decorative

LED Tape and Extrusion

This professional grade flexible LED tape allows the customization of any area, as it can be suspended, surfaced or recessed mount.

Sizes: 5 or 20 meters

CCT: 3000, 4000, & 5000K



STANPRO



Dimmable



Damp Rated

OnCloud

New solution for Smart Home lighting control. Powered by WiZ, Lite-line fixtures and devices can now be controlled from your devices.

Sizes: 4, 6, & 8"

CCT: 4000, 5000, & 6000K



Liteline



Dimmable



Damp Rated



Smart



IC Rated



Tunable White



Schedules



RGB Color Change

Deco Accent

The LED SWIVEL includes a 3 color temperature switch and a high/low lumens switch which is perfect for task and ambiance lighting.

Sizes: 4, 6, & 8"

CCT: 4000, 5000, & 6000K



STANPRO



Dimmable

Snap N'Link

Easy to install, features a LEGO-like modular design and flexible connectors that allow for effortless designs.

Sizes: 3.3, 10, 20, & 40"

CCT: 3000, 4000, & 5000K



RAB DESIGN



Dimmable



Damp Rated

Available Finish: White

Tape/Undercabinet

Vanity/Sconce



SVAN

LED Wall Sconce - Contemporary

With a contemporary design these wall sconce luminaires are ideal to add a modern touch to any residential or commercial space.

Sizes: 14, 24, & 38"

CCT: 3000, 3500, & 4000K

Available Finish: Black, Chrome, Brushed Nickel

STANPRO



Dimmable



Damp Rated



Color Selectable



SVAN

LED Wall Sconce - Traditional

Equipped with double-sided frosted lenses and depending on the desired look, they can be installed with a glossy or matte lens finish.

Sizes: Single, Double, Triple, Quadruple

CCT: 3000, & 4000K

Available Finish: Brushed Nickel


STANPRO



Dimmable



Damp Rated



SVAN

LED Wall Sconce - Linear

Emit a soft white light and are offered in 3 different finishes. They are the perfect solution to everyday needs.

Sizes: 12, 24, 36, & 48"

CCT: 3000K

Available Finish: Chrome, Brushed Nickel, Black

STANPRO



Dimmable



Damp Rated



FMVC

FMVCCLS

Ideal for use in bathrooms, lavatories, hallways, corridors, stairways, utility areas and more.

Sizes: 12, 24, 36, & 48"

CCT: 3000, 3500, & 4000K

Available Finish: Chrome, Brushed Nickel, Matte Black

AcuityBrands.




Dimmable

Decorative

TROFFERS/
PANELS



Panels



CPX

CPX

Perfect choice for a quality LED panel at an affordable price.

Sizes: 1x4, 2x2, 2x4'

CCT: 3500 – 5000K



Dimmable




Power Selectable



IC Rated



Damp Rated



SBP

SBP

Versatile luminaire with three lumen and three CCT packages per size. Available for use in recessed and surface mount applications.

Sizes: 1x4, 2x2, 2x4'

CCT: 3500 – 5000K



Dimmable



Power Selectable



IC Rated



Damp Rated



Color Selectable



CPL-LED

CPL-LED

Lumen selectable and Colour Temperature selectable. Provides uniform distribution, superior performance, and reduced glare.

Sizes: 1x4, 2x2, 2x4'

CCT: 3500 – 5000K



Dimmable



Power Selectable



IC Rated



Damp Rated



Color Selectable

Troffers/Panels

Troffers/Panels

Basket



STAK

Stak

High-value, job-site friendly, project-perfect fixture representing just one of the four performance-tiered solutions of the STACK family.

Sizes: 2x2, 2x4'

CCT: 3000, 3500, 4000, & 5000K



Dimmable



Power Selectable



2FGG

FluxGrid

Long lasting and consistent with familiar installation methods and configurations, add high-quality, energy saving LED technology.

Sizes: 1x4, 2x2, 2x4'

CCT: 3000, 3500, 4000, & 5000K



Dimmable



IC Rated



Damp Rated



CBT

CBT-LED

Volumetric troffer with TRIAC Dimming for even light. Ideal for offices, schools, universities, and hospitality.

Sizes: 2x2, 2x4'

CCT: 3500 – 5000K



Dimmable



IC Rated



Damp Rated



Color Selectable

'SuperSKU' Universe

**ACUITY'S SUPERSKU
(FULLY SWITCHABLE CCT/LUMENS)
PRODUCTS
NOW AVAILABLE WITH UVOLT**




ESXF



CPRB



TWR



CPX



STACK



CSS

....and many more



HIGHBAYS

Round



JEBL

JEBL

JEBL Round LED high bay from Lithonia Lighting excels in durability, easy installation, and cost-effectiveness for various applications.

Sizes: 13 & 15"

CCT: 4000 & 5000K

Available Finish: White



Dimmable



Wet Rated



IC Rated



HCY

HCY

HCY sealed high bay combines functional lighting with an appealing round form factor, perfect for retail and institutional settings.

Sizes: 12 & 15"

CCT: 4000 – 5000K

Available Finish: Black



Dimmable



Wet Rated



Power Selectable



Color Selectable



RHS-LED

RHS-LED

The RHS-LED highbay offer rugged design, easy installation, high lumen output, and affordable control options for diverse applications.

Sizes: 8 & 11"

CCT: 3500 – 5000K

Available Finish: Black



Dimmable



Wet Rated



Power Selectable



Color Selectable



CPRB

CPRB LED

Compact Pro High Bay (CPRB) is a budget-oriented, easy-to-install solution designed for light-duty industrial applications.

Sizes: 13 & 15"

CCT: 4000 – 6000K

Available Finish: White, Black



Dimmable



Power Selectable



Color Selectable

Highbays

Highbays



LHBS-LED

LHBS

LHBS-LED series provides well-distributed, uniform lighting, making it an ideal one-for-one replacement for conventional lighting systems.

Sizes: 2 & 4'

CCT: 4000 & 5000K

Available Finish: White



Dimmable



Damp Rated



FBY

FBY

FBY high bays offer versatility in form, function, and energy savings for applications ranging from warehouses to retail outlets.

Sizes: 2 & 4'

CCT: 3500, 4000, & 5000K

Available Finish: White



Dimmable



Damp Rated



FBX

FBX

FBX LED high bays offer versatility in form, function, and energy savings for applications ranging from warehouses to retail outlets.

Sizes: 2 & 4'

CCT: 3500, 4000, & 5000K

Available Finish: White



Dimmable



Damp Rated



CPHB

CPHB

Compact Pro High Bay is a budget-oriented, compact design solution suitable for affordable and reliable light-duty industrial applications.

Sizes: 14 & 23"

CCT: 4000 & 5000K

Available Finish: White



Dimmable



Power Selectable



Color Selectable

Linear

WALL-MOUNTED



Wall-Mounted

LPW Series

Keene LytePro LED wall sconce on LPW Series delivers outstanding value with compact, architectural design for energy-efficient lighting.

Sizes: 7 & 12"

CCT: 3000 & 4000K

Available Finish: Black, White, Bronze, Dark Gray, Medium Gray



LPW

Adjustable Series

Features discreet design, adjustable options, and versatile applications for commercial and residential exteriors.

Sizes: 6 & 8"

CCT: 4000K

Available Finish: Bronze



PW30

WPS/WPF

WPS/WPF Series offers sleek, modern semi and full cut-off wall packs with versatile features for various lighting applications.

Sizes: 10 & 14"

CCT: Color Selectable

Available Finish: Bronze, Custom



WPS/WPF-LED

WCY

Excels in efficiency and versatility, includes changeable optics for adjustable light direction, beam angle, and color temperature control.

Sizes: 4 & 6"

CCT: Color Selectable

Available Finish: Bronze



WCY-4/6

Wallpacks

KEENE



Wet Rated



Photocell



Power Selectable



Color Selectable

KEENE



Wet Rated



Power Selectable



Color Selectable

RAB DESIGN



Wet Rated



Dimmable



Power Selectable



Color Selectable

STANPRO



Wet Rated



Dimmable



Photocell



Power Selectable



Color Selectable


WALL PACKS

Built for Canadian Winters!




WP-LED


Wall Pack LED



WPF-LED



Wall Pack-Full Cut-off



WL-LED26




Wall Light



WPS-LED



Wall Pack -Semi Cut Off



Wall-Mounted

Classic



TWX

TWX

TWX LED wall pack family offers low initial cost, superior performance, and traditional design with Adjustable Light Output (ALO) feature.

Sizes: 7, 13, & 18"

CCT: 3000, 4000, 5000K

Available Finish: Bronze



Wet Rated



Power Selectable



TWR

TWR

TWR wall packs merge the latest LEDs with ultimate versatility, offering adjustable lumen output, color temperature, and photocell.

Sizes: 13 & 17"

CCT: 3000 - 5000K

Available Finish: Bronze



Wet Rated



Power Selectable



Photocell



Color Selectable



Dimmable



WL-LED26

WL-LED26

WL-LED26 is a compact, easy-to-install wall light, ideal for security lighting in building entrances, perimeters, and walkways.

Sizes: 6"

CCT: 3000 - 5000K

Available Finish: Bronze



Wet Rated



Photocell



Color Selectable



Dimmable



WLE-LED

WLE-LED

WLE-LED is an energy-efficient wall light with a traditional look, featuring vandal-resistant housing and a textured clear lens.

Sizes: 6"

CCT: 4000K

Available Finish: Black



Wet Rated



Photocell

Security



N2SH

NS2H

NS2H security flood is durable, easy to install, and offers versatile controls for brightness, color temperature, and photocontrol settings.

Sizes: 8"

CCT: 3000 – 5000K

Available Finish: White, Black



Wet Rated



Photocell



Motion Sensor



Power Selectable



Color Selectable



HGX

Home Guard

Home Guard LED family provides long-lasting, energy-efficient security lighting solutions for residential and commercial applications.

Sizes: 7 & 9"

CCT: 4000K

Available Finish: White, Black



Wet Rated



Photocell



Motion Sensor



Power Selectable



Color Selectable



NUVO 65-900

Bullet Security Light

Satco's SMART LED security floodlights offer HD camera, two-way talk, and motion detection, ensuring safety and connectivity.

Sizes: 9"

CCT: 3000K

Available Finish: Black, Brown, White



Wet Rated



Photocell



Motion Sensor



Schedules



Smart



Dimmable

Wall-Mounted

STRIPS/ LINEAR

Strip



L2TRV

Tri-Level

Feature an integrated tri-level microwave motion sensor that regulates light levels according to the occupancy of a space.

Sizes: 2, 4, & 8'

CCT: 3500 – 5000K

STANPRO



Motion Sensor Damp Rated Photocell Color Selectable Power Selectable



CSS


CSS

The CSS LED strip light is the single lens version of the extremely popular CDS Strip.

Sizes: 4, & 8'

CCT: 3000, 4000, & 5000K

LITHONIA LIGHTING



Dimmable Damp Rated Power Selectable Color Selectable



SDS424

SDS

An economical luminaire for commercial or residential applications with CCT and Lumen selectability.

Sizes: 2, 4, & 8'

CCT: 3500, 4000, & 5000K

Day-Brite
by @ignify



Dimmable Damp Rated Color Selectable Power Selectable



SLH4


SLH4-LED High Lumen

Highly efficient lumen output of approximately 7000 Lumens, ideal for replacing 2 lamp T5 HO fixtures.

Sizes: 4'

CCT: 3000, 4000, & 5000K

RAB DESIGN



Dimmable Damp Rated Color Selectable Power Selectable

Strips/Linear

Strips/Linear



FMLWL

FMLWL

The FMLWL LED Wraparound provides ambient lighting for surface-mount applications.

Sizes: 2, 4'

CCT: 2700, 3000, 3500, & 5000K

LITHONIA LIGHTING



Damp Rated Power Selectable



SBL4


SBL

The SBL LED Wraparound provides a digital lighting platform to deliver general ambient lighting for surface-mount applications.

Sizes: 4'

CCT: 3500, & 4000K

LITHONIA LIGHTING



Damp Rated Power Selectable



SMW4N-LED


SMWN

This wrap-around luminaire is easy to install and features a link connector for combining multiple fixtures in a row.

Sizes: 2, & 4'

CCT: 4000K

RAB DESIGN



Damp Rated Power Selectable



OWL

OWL

OWL Wraparound LED: Ideal for light commercial and residential use. High-efficiency LED for exceptional performance and visual light.

Sizes: 2, 4, & 8'

CCT: 3000, 4000K

Day-Brite
by @ignify



Damp Rated Color Selectable

Wrap

Vapor Tight



VTL4

VTL

This luminaire balances high performance lighting while providing minimum glare.

Sizes: 2, 4, & 8'

CCT: 3500 – 5000K



Wet Rated



IP Rated



Color Selectable



Power Selectable



Dimmable



CSVTL48

CSVTL

Ability to switch lumens and adjust color temperature in one fixture, the CSVTL can easily be adapted to the needs of each project.

Sizes: 2, 4, & 8'

CCT: 3500 – 5000K



Wet Rated



IP Rated



Color Selectable



Dimmable



VTS4

VTS

This luminaire offers rugged reliability, selectability and the efficiency your successful business requires.

Sizes: 2, 4 & 8'

CCT: 3500 – 5000K



by @ignify



Wet Rated



Color Selectable



Power Selectable



IP Rated



FW4-LED

FW4-LED 41/61

The FW4-LED is a 4' LED linear vapor-proof fixture.

Sizes: 4'

CCT: 3500 – 5000K



Wet Rated



IP Rated



Color Selectable



Power Selectable

Strips/Linear



INDUSTRIAL (EXPLOSION RATED)

APPLETON™

The Appleton brand has long been the hallmark for the protection of people and equipment while delivering reliable power.

Count on certified protection for any environment, from ordinary commercial settings to harsh industrial conditions, in any region of the world.

Their fittings, lighting, and power distribution solutions are designed to operate without incident: because failure is not an option.



Hazlux® by ABB

You can rely on Hazlux® to safely provide light where you need it, even under the harshest indoor and outdoor conditions.

If safety, labor reduction, quality and reliability are your priorities, consider Hazlux® lighting products to reduce maintenance and prevent downtime.




NMV-LED

Conquering the Harshes Hazardous Environments




Ideal for

- Marine Applications
- Mines
- Water Treatment Plants
- Agricultural Applications
- Petroleum Refineries
- Grain Elevators
- Ethanol Facilities
- Chemical Plants
- Food Processing Plants
- Textile Mills
- Power Generation Plants
- Confectionary Plants
- Bakeries
- Saw/woodworking mills



Coloured Lens Options



- Non-Metallic
- Class I, Div 2 (Groups A, B, C, D)
- Class I, Zone 2, Groups IIA, IIB and IIC, T4
- Class II, Div 2 Rated (Groups F &G)
- Zone 22
- Marine Listed
- Compact
- Easy to Install
- Quick Ship



Designed and assembled in Canada by RAB Design Lighting, your trusted lighting solutions provider.

DRIVERS/LAMPS



Drivers/Lamps

Drivers



ADVANCE EXPRESS

The Advance Express Programmable Driver Program offers a simple solution for replacement drivers in existing linear, outdoor and downlight LED fixtures.


The easy-to-use platform allows wireless programming of a wide variety of driver applications (120,277,347 and 480 volt).

All Advance Express drivers are Class P listed, a requirement from UL for field replacement.



Field-Programmable LED Drivers from eldoLED®, providing distributors and contractors a new way to service existing LED fixtures. FieldSET LED Drivers are a selection of unique and versatile replacement drivers that can be easily programmed in the field to replace end-of-life driver components in a facility's LED luminaires.

With just a few presses of a button on the portable handheld FieldSET LED Driver Programming Tool, electricians can set desired current levels and 0-10V minimum dimming levels for the FieldSET driver, as well as set dim-to-off functions to properly match the performance of the driver being replaced.





SATCO LED Lamps offer one of today's largest selections of LED products - providing solutions for the commercial, industrial and residential markets.



For every project where exceptional, high-quality lighting is required.

The MasterClass line of LEDs exceeds industry energy efficiency requirements, featuring improved lifespan and warranties with broad product ranges.



The LED filament lamps distinguish themselves by their sparkling white light, blending perfectly with crystal chandeliers and modern style fixtures as well as more vintage looks.



EMERGENCY



STANPRO

Stanpro's emergency lighting line consists of signs, combos, remotes, and battery units.

Stanpro uses the latest technologies to maximize the performance, reliability and cost efficiency of its products through the design and manufacturing in Canada while meeting the highest standards in the industry.

Explore these readily available emergency lighting products that will best suit your projects.



Emergi-Lite[®] by ABB Lumacell[®] by ABB

ABB is a life safety solutions provider, delivering state-of-the-art systems and products into the emergency-lighting marketplace.

These products and services are designed to provide the most effective protection and safety, in line with customer needs, relevant industry standards and regulations.



STANPRO

EMERGENCY

BATTERY

COMBOS

REMOTES

SIGNS



SCAN HERE FOR MORE INFORMATION



SCAN HERE FOR MORE INFORMATION

FLOOD/AREA/ROADWAY



Flood/Area/Roadway

Canopy



CNY LED

CNY

CNY LED canopy luminaire is an energy-efficient replacement for up to 400W HID, suitable for gas stations, schools, and strip malls.

Sizes: 10"

CCT: 4000K

Available Finish: Bronze



Wet Rated



IP Rated



SCL1S-LED

SCL1S

SCL1S-LED canopy fixture is ideal for covered walkways with features like lumen adjustability, color selection, and wide voltage range.

Sizes: 10"

CCT: 3000 – 5000K

Available Finish: Bronze



Wet Rated



Power Selectable



IP Rated



Color Selectable



GCR60/90

Round - Dual Select

Keene Garage and Canopy Dual Select LED luminaire is a durable, cost-effective lighting solution for parking garages and canopies.

Sizes: 13"

CCT: 3000 – 5000K

Available Finish: Bronze



Wet Rated



Power Selectable



IP Rated



Color Selectable

Roadway/Area



CPLS

Lumec

Lumec offers contemporary and traditional luminaire styles blending form and function for roadway and outdoor urban lighting.

Sizes: Various

CCT: 3000, & 4000K

Available Finish: Multiple trims/finishes

Flood/Area/Roadway

LUMEC

by **signify**



Photocell



Wet Rated



IP Rated



BLS

BLS

BLS-LED fixture is a high-efficacy general-purpose area light suitable for barns, farms, security, industrial yards, roadways, and landscapes.

Sizes: Various

CCT: 5000K

Available Finish: Grey

RAB
DESIGN



Photocell



Wet Rated



IP Rated



HELIX1

Helix

HELIX-LED is a versatile fixture with rotatable optics, glare control, and beam distribution options for optimized outdoor lighting.

Sizes: Various

CCT: 3000 – 5000K

Available Finish: Bronze

RAB
DESIGN



Wet Rated



Power Selectable



IP Rated



Color Selectable

Flood/Area/Roadway



PT50

Post Top

Post Top LED luminaire is compact, ideal for pedestrian-scale applications with adjustable output and low-glare optics.

Sizes: 10 – 16'

CCT: 3000, & 4000K

Available Finish: Black



BOH-L

Bollard

BOH-L LED bollard luminaire features high efficiency, die-cast aluminum housing, polycarbonate lens, and a flush mounting base.

Sizes: 42"

CCT: 3000, 4000, & 5000K

Available Finish: Bronze



BOL6

SBL6 Series

SBL6 bollards offer field-adjustable options in an elegant design, perfect for pathway lighting in commercial and residential settings.

Sizes: 44"

CCT: 3000 – 5000K

Available Finish: Bronze & Custom

Post Top/Bollard

KEENE



Photocell



Power Selectable



IP Rated

STANPRO



IP Rated

RAB
DESIGN



IP Rated



Color Selectable



Power Selectable

Flood/Area/Roadway



FLBS-L

FLB

FLB LED floodlights provide highly efficient illumination with various lumen packages, color temperature options, and MOUNTEDing choices.

Sizes: 12, 14, 18, & 22"

CCT: 3000 – 5000K

Available Finish: Bronze



Wet Rated



Power Selectable



IP Rated



Color Selectable



ESXF

ESXF

ESXF LED floodlight offers flexibility with adjustable lumen output, color switching, and a selectable photocell for cost-effective solutions.

Sizes: 8, 10, 12, & 18"

CCT: 3000 – 5000K

Available Finish: Bronze



Wet Rated



Power Selectable



IP Rated



Color Selectable



SF100SCT

SlimFlood

SlimFlood dual select offers energy-saving LED technology with field-selectable color and wattage options, ideal for various applications.

Sizes: 4, 5, 6, 7, & 13"

CCT: 3000 – 5000K

Available Finish: Bronze



Wet Rated



Power Selectable



IP Rated



Color Selectable



XFL1/2/3/4/5

XFL-LED

XFL-LED floodlight is the first with field-adjustable beam distribution, color temperature, and sturdy design for extreme weather conditions.

Sizes: 7, 8, 10, 11, & 17"

CCT: 3000 – 5000K

Available Finish: Bronze



Wet Rated



Power Selectable




IP Rated



Color Selectable

Flood/Area/Roadway



Ceco Poles & Structures Inc. has a 25-year track record building light standards, pole-line hardware and site-specific structures for the roadway, energy, land development and agricultural markets



Nova Pole International Inc. manufactures and markets tubular steel poles for use in highway and street lighting, traffic signage, electric utility transmission, distribution and substation applications, cellular towers, telecommunications systems, solar lighting systems and decorative for streetscape lighting poles and fixtures.



RAB Design Lighting, pride themselves on creating practical lighting solutions for the Canadian contractor. They work closely with contractors to create products that ease on the job installation pains, are engineered to perform, and built to last in extreme Canadian conditions.



CONTROLS



Controls

sensorSwitch

The SensorSwitch™ product line offers an innovative, high-quality, and cost-effective controls solution for diverse applications. Designed for easy installation and use, it provides standalone wired and wireless options to meet various needs.

Energy savings are a priority with SensorSwitch products, optimized to promote sustainability and compliance with energy codes.



nLIGHT

nLight® is a flexible lighting controls platform for indoor and outdoor spaces, offering wired and wireless options. Easy to specify, install, and use, nLight enables seamless lighting control, energy cost reduction, and enhanced comfort. Setup is simple with wired or wireless controls. Scalable for any application, it creates a connected digital network for flexibility.



PHILIPS

Illuminate your workspace with Interact Pro—a scalable, wireless solution integrating LED lights and sensors. Tailored for SMEs, it enhances productivity and well-being, effortlessly adapting to evolving business needs.





Enhance your smart home with Decora Smart devices:

Smart Switches: Control lights via the My Leviton app or voice commands.

Smart Dimmer Switches: Customize lighting ambiance with app or voice control.

Smart Motion Sensing Dimmer: Hands-free control with motion sensing, ON/OFF, Dim/Bright, and ambient light detection.



Controls



Take charge of your lighting with Liteline OnCloud fixtures connected to the OnCloud Room Controller, ensuring uninterrupted control even during Wi-Fi outages. Manage on/off, dimming, white tuning, and toggle between four favorite modes. Designed for WiZ connected fixtures, it offers seamless and reliable control.



Lutron Systems, highlighted by the popular Lutron Maestro, redefine home lighting control. These systems offer advanced solutions for managing lighting, shades, and temperature with user-friendly interfaces. Known for their versatility, efficiency, and stylish design, Lutron Systems provide a seamless and integrated approach to modern home automation.



decora® Motion Sensor Switches

Flexible Wiring, Easy Installation, and Modern Design for Any Application!



Convenient

Easy update from a standard light switch to automated lighting



Improves Safety

Use in areas where you may enter or exit with hands full or have difficulty reaching for a light switch



Touch-free

No touching required to help keep light switches cleaner



User-friendly installation

Interchangeable line and load wires helps to prevent miswiring



Advanced features

Modern look with ambient light sensor that prevents lights from turning on when there is ample sunlight






Maestro In-Wall Sensors

LUTRON quality and performance, now in a sensor.

- Durable design with clean aesthetic
- XCT technology with cross-correlation – no callbacks
- NEW Wireless models



Sensor switch



0-10 V dimmer sensor



LED+ dimmer sensor




Dual-circuit sensor switch



Dual-technology sensor switch



Dual-technology, dual-circuit sensor switch



Next generation design and technology

Sunnata Touch Dimmer with LED+ technology

- Touch or swipe the light bar to set your lights
- LED+ technology provides superior dimming of dimmable LED, incandescent, and halogen bulbs
- Works with existing wiring, no neutral required





Maestro PRO LED+ Dimmer

One dimmer for any job!

- **Load ratings:**
 - 250W of LED/CFL
 - 500W of incandescent/halogen/ELV
 - 400 VA/300 W of MLV


- **Fast, easy retrofittable installation for any age home, with any wiring**
- **Phase selectable**
- **Colour change front plastics**



Maestro Dual Controls

LED+ Technology – Expanded compatibility, same space-saving design.

- **Stacked design**—control two loads independently from a single location
- **Advanced LED+ technology** ensures compatibility with an extensive list of dimmable LED bulbs
- **Easy installation**— no neutrals required



Diva Smart Dimmer



Claro Smart Switch



Claro Smart Accessory Switch

Caséta Wireless

Intuitive Design Offers Simplicity, Style, and Control.

- Diva and Claro smart controls provide a designer-style option for Caséta systems, and they coordinate with existing paddle switches
- Easy to install with wired and wireless 3-way options

The Caséta Advantage—Comfort, Control, and Peace of Mind

- Multiple points of control from virtually anywhere—remote, app, switch, or voice





Leviton's compact Decora Smart Wi-Fi Bridge unlocks smart features for No-Neutral devices, seamlessly connecting to My Leviton, Apple HomeKit, Amazon Alexa, and Google Assistant. With easy installation and a coverage of up to 2,500 sq. ft., it supports 25 devices, making it ideal for homes without neutral wiring.



Caséta by LUTRON

Caséta by Lutron: Smart lighting control for regular bulbs. Effortlessly manage lights from the switch, app, or voice assistant, even when Wi-Fi is down. Easy 3-step DIY installation and expandable with the smart hub. Simple yet smart control for enhanced lighting.



Acuity Controls excels in advanced, cost-effective lighting controls with the Sensor Switch line, featuring Microphonics™ for reliable detection. With a 5-year warranty, they contribute to energy savings and ensure easy installation. Prioritizing sustainability, Sensor Switch offers compliant sensors, continuously enhancing technology for reliable performance.



MEDICAL/ HEALTHCARE



HEALTHCARE LIGHTING®

Thoughtful, innovative solutions designed to meet the unique needs of the healthcare environment, enriching the patient experience while enhancing caregiver effectiveness and performance. Our tailored lighting solutions put the focus on wellness, intuitive controls, and ease of maintenance.



@ignify

For every project where exceptional, high-quality lighting is required.

The MasterClass line of LEDs exceeds industry energy efficiency requirements, featuring improved lifespan and warranties with broad product ranges.



VISCOR | a LEVITON company

Specializing in Medical lighting, Cleanroom lighting, Vandal Resistant lighting, Spray Booth applications and Hazardous location lighting that are extremely durable and built to withstand harsh environments.



HORTICULTURAL/ AGRICULTURAL

PHILIPS

Natural light often falls short on giving crops what they need to grow and flourish. With Philips professional LED grow lights you can control many aspects of crop growth to get better business results. Whether you produce vegetables, fruits or flowers – in a greenhouse, vertical farm or other indoor facility – we offer a choice of the best LED grow lights for your specific crop.



verjure

Here at Acuity Brands, we've been designing the best, most recognized, and most imitated high output LED luminaires since LED was a thing. In fact, we've sold more LED fixtures than any other lighting company in North America.



LEDVANCE

LEDVANCE Grow Lights allow you to grow plants indoors all year long – with little to no sunlight needed.



TEMPORARY/ JOBSITE





Lind is a leading manufacturer and supplier of portable electrical products for industrial and hazardous work environments.

For over 65 years, Lind has been providing the very best in portable lighting, portable power, electrical safety, and static grounding products for use on the most challenging jobsites.



You can rely on Hazlux® to safely provide light where you need it, even under the harshest indoor and outdoor conditions.

If safety, labor reduction, quality and reliability are your priorities, consider Hazlux® lighting products to reduce maintenance and prevent downtime.



The Temporary LED High Bay work lights are the ideal substitute for traditional HID lamps and luminaires. Designed for tough environments, they provide 360° illumination and will ensure that the work area is safe and properly illuminated.



Generac Mobile leads the industry in innovative light tower solutions. Our vertical mast and compact light towers have revolutionized industrial mobile lighting. Easy to setup, operate and maintain, our light towers provide maximum power in a minimal footprint.



DOWNLIGHTS
CEILING-MOUNTED
DECORATIVE
TROFFERS/PANELS
HIGHBAYS
WALL-MOUNTED
STRIPS/LINEAR
INDUSTRIAL
DRIVERS/LAMPS
EMERGENCY
FLOOD/AREA/ROADWAY
CONTROLS
MEDICAL/HEALTHCARE
HORTICULTURAL/AGRICULTURAL
TEMPORARY/JOB SITE

DOWNLIGHTS
CEILING-MOUNTED
DECORATIVE
TROFFERS/PANELS
HIGHBAYS
WALL-MOUNTED
STRIPS/LINEAR
INDUSTRIAL
DRIVERS/LAMPS
EMERGENCY
FLOOD/AREA/ROADWAY
CONTROLS
MEDICAL/HEALTHCARE
HORTICULTURAL/AGRICULTURAL
TEMPORARY/JOB SITE



Milwaukee Jobsite lighting excels in durability, providing bright, efficient illumination for construction tasks. Built tough for challenging environments, these lights feature impact resistance and innovative designs, incorporating advanced LED technology for reliable and energy-efficient performance.



Downlights	Ceiling-Mounted	Decorative	Troffers/Panels	Highbays	Wall-Mounted	Strips/Linear
				VISCOR		
			VISCOR			

LIGHTING SPECIALIST



Al Haberman
 Bartle & Gibson Head Office
 al.haberman@bartlegibson.com
 Ph (780) 472 2850 ext. 230
 (780) 238-7552

SASKATCHEWAN

sales.sk@bartlegibson.com

Swift Current
 Ph (306) 773-1800
 Fax (306) 773-1817

NORTHWEST TERRITORIES

salesyw@bartlegibson.com

Yellowknife
 Ph (867) 920-2248
 Fax (867) 873-5730

Download the interactive digital guide at
bartlegibson.com/lightingresourceguide

ALBERTA

sales.ab@bartlegibson.com

Airdrie
 Ph (403) 945-9481
 Fax (403) 945-9487

Fort McMurray
 Ph (780) 743-4476
 Fax (780) 791-6616

Barrhead
 Ph (780) 674-4255
 Fax (780) 674-2833

Hinton
 Ph (780) 865-4800
 Fax (780) 865-7900

Calgary - Northeast
 Ph (403) 291-1099
 Fax (403) 291-2849
 1-877-303-3933

Lethbridge
 Ph (403) 320-0411
 Fax (403) 320-7313
 1-800-440-1586

Calgary - South Side
 Ph (403) 216-6717
 Fax (403) 252-6881

Lloydminster
 Ph (780) 875-2683
 Fax (780) 875-8978

Edmonton - North Side
 Ph (780) 472-2850
 Fax (780) 476-6686
 1-800-661-5615

Medicine Hat
 Ph (403) 527-3565
 Fax (403) 526-8164
 1-800-461-2072

Edmonton - South Side
 Ph (780) 437-7767
 Fax (780) 437-6319

Peace River
 Ph (780) 624-4050
 Fax (780) 624-1110

Edson
 Ph (780) 723-6180
 Fax (780) 723-7493

Red Deer
 Ph (403) 340-1650
 Fax (403) 340-8360

Spruce Grove
 Ph (780) 962-4891
 Fax (780) 962-0878

Wetaskiwin
 Ph (780) 352-3722
 Fax (780) 352-8407

Industrial (Explosion Rated)	Emergency	Lamps/Drivers	Flood/Area/Roadway	Controls	Medical/Healthcare	Horticultural/Agricultural	Temporary/Jobsite

BRITISH COLUMBIA

sales.bc@bartlegibson.com

Chilliwack
 Ph (604) 792-0866
 Fax (604) 792-7622

North Vancouver
 Ph (604) 988-4141
 Fax (604) 988-6633

Courtenay
 Ph (250) 334-0645
 Fax (250) 334-3929

Port Coquitlam
 Ph (604) 941-7318
 Fax (604) 942-7218

Langford
 Ph (250) 389-1073
 Fax (250) 478-3297

Prince George
 Ph (250) 562-5505
 Fax (250) 562-5073
 1-866-580-5505

Maple Ridge
 Ph (604) 467-1535
 Fax (604) 467-3423

Nanaimo
 Ph (250) 758-1771
 Fax (250) 758-4640

Saanich
 Ph (250) 727-9976
 Fax (250) 727-0547

Surrey
 Ph (604) 502-9122
 Fax (604) 502-9133

West Kelowna
 Ph (250) 769-3101
 Fax (250) 769-0559

Whistler
 Ph (604) 932-4871
 Fax (604) 932-2437

bartlegibson.com